Measure Name	Measure ID
Deaths among Patients with Serious Treatable Complications after Surgery	PSI_4_SURG_COMP
Collapsed lung due to medical treatment	PSI_6_IAT_PTX
Serious blood clots after surgery	PSI_12_POSTOP_PULMEMB_DVT
A wound that splits open after surgery on the abdomen or pelvis	PSI_14_POSTOP_DEHIS
Accidental cuts and tears from medical treatment	PSI_15_ACC_LAC
Serious complications	PSI_90_SAFETY
Rate of complications for hip/knee replacement patients	COMP_HIP_KNEE

Page 1 of 4 07/23/2015

National Rate	Number of Hospitals Worse	Number of Hospitals Same
117.75	65	1730
0.39	23	3334
4.35	212	2725
1.7	7	2612
1.81	199	3066
0.81	213	3072
3.1	45	2711

Page 2 of 4 07/23/2015

Number of Hospitals Better	Number of Hospitals Too Few	Footnote
45	1028	
1	35	
153	129	
0	428	
89	36	
110	Not Available	
54	697	

Page 3 of 4 07/23/2015

Measure Start Date	Measure End Date
07/01/2012	06/30/2014
07/01/2012	06/30/2014
07/01/2012	06/30/2014
07/01/2012	06/30/2014
07/01/2012	06/30/2014
07/01/2012	06/30/2014
04/01/2011	03/31/2014

Page 4 of 4 07/23/2015